

Amendments to the Claims:

This listing of claims will replace all prior versions and listing of claims in the application.

Listing of Claims:

1. (Currently Amended) Reflector arrangement for the adjustment of shadow in the field of photography and film, including a first reflector (11), a second reflector (14) which is arranged inside the first reflector (11), wherein the two reflectors (11, 14) are arranged in the region of ~~and preferably on a~~ center axis (18) of the reflector arrangement (10), two lighting means (13, 20) arranged one behind ~~the~~ each other near the center axis (18), and a carrier element (12) for receiving at least one of the lighting means (13, 20), characterised in that the carrier element (12) is constructed as a focusing unit (22) for the lighting means (13, 20) in such a way that the focusing unit (22) is slidable axially in ~~the~~ a longitudinal direction of the center axis (18) of the reflectors (11, 14) relative to the outer reflector (11), wherein the second reflector (14) is arranged in ~~the~~ a region of the lighting means (13) on the focusing unit (22).

2. (Currently Amended) Reflector arrangement according to claim 1, characterised in that ~~the~~ ~~characterized in that~~ the second reflector (14) is slidable axially in the longitudinal direction of the center axis (18) on the focusing unit (22).

3. (Previously Presented) Reflector arrangement according to claim 1, characterised in that the lighting means (13, 20) are slidable as a unit with the focusing unit (22) axially in the longitudinal direction of the center axis (18).

4. (Previously Presented) Reflector arrangement according to claim 1, characterised in that the first lighting means (13) is arranged at a free end (15) of the focusing unit (22) and the second lighting means (20) is arranged in alignment therebehind.

5. (Previously Presented) Reflector arrangement according to claim 1, characterised in that the lighting means (13, 20) are offset from the center axis (18) and/or arranged at an angle to each other.

6. (Previously Presented) Reflector arrangement according to claim 1 5, characterised in that each lighting means (13, 20) is separately controllable, such that the luminosity or intensity is individually adjustable.

7. (Previously Presented) Reflector arrangement according to claim 1, characterised in that each lighting means (13, 20) is connected to a separate energy source (17, 21).

8. (Currently Amended) Reflector arrangement according to claim 1, characterised in that ~~the~~ a filter element is arranged in the region of at least one lighting means (13, 20) ~~is arranged a filter element~~.

9. (Previously Presented) Reflector arrangement according to claim 1, characterised in that each lighting means (13, 20) is provided with a filter element (24, 28).

10. (Currently Amended) Reflector arrangement according to claim 8, characterised in that ~~the~~ or each filter element (24, 28) is designed with exchangeable filters (27).

11. (Previously Presented) Reflector arrangement according to claim 1, characterised in that the reflectors (11, 14) are offset from the center axis (18) and/or arranged at an angle to each other.

Claim 12. (Canceled)

Claim 13. (Canceled)

Claim 14. (Canceled)